


product_name



- Phase Current(A):5.2~5.8
- Holding Torque(Nm):0.45~1.5
- Flange Dimension(mm):56.4

Rating: Not Rated Yet

Price

Sales price without tax 48,00 €

[Ask a question about this product](#)

Manufacturer [ELCON | Systems & Components](#)

Description	Model	3S57Q-04	3S57Q-04	3S57Q-04
		079	056	042
Step Angle			1.2?±5%	
Phase		5.8	5.6	5.2
Current (A)				
Holding Torque (Nm)		1.5	0.9	0.45
Damping Torque (Nm)		0.07	0.04	0.02
Winding Resistance (?)		1.05±10%	0.7±10%	1.3±10%
Winding Inductance(mH)		2.4±20%	1.7±20%	1.4±20%
Motor Inertia (Kg.com²)		0.48	0.3	0.11
Motor		79	56	42

Length L(mm)			
Number of Lead Wires	6		
Insulation Class	B		
Withstand Voltage Level	600VAC 1S 5mA		
Max.Axial Load (N)	15		
Max.Radial Load (N)	75		
Operating T emperature	-20??50?		
Surface Te mperature Rise	Max.80? ?Rated Phase Current after Phases are Connected)		
Insulation Impedance	Minimum 100M?,500VDC		
Weight (Kg)	1	0.72	0.45

[Stepper System](#)